



VoIP Adapter Installation Guide Linksys PAP2T

Installing with One Computer

LET'S GET STARTED.

Installation of your VoIP Adapter will take between five and ten minutes. If you haven't already done so, unpack the box you received from us. It should include the following components:



1 CAT5 WAN Ethernet cable




1 AC power supply



1 Linksys ATA (Analog Telephone Adapter)

Analog Terminal Adapter (ATA) Diagram



- A** Primary analog phone line port
- B** Secondary analog phone line port – for use with additional VoIP lines
- C** Plug for AC power adapter
- D** Ethernet port for connectivity with PC, router or switch
- E** WAN internet port for connectivity with your broadband modem

If you have questions, please visit our [Help page](#) online or call our customer service hotline located on your welcome letter.

Installing With One Computer



Do not plug in your ATA device until STEP 4.

- 1 Turn off your computer and unplug your cable/DSL modem power cord.
- 2 Connect the Ethernet cable to the “Blue” port on the adaptor labeled “INTERNET”. Connect the Other end of the cable to an available port in your router.
- 3 Plug the phone line of a standard telephone (cordless or other) into the port labeled “PHONE 1” on the adapter (“A” on the Adapter Diagram).
- 4 Plug the round end of the power cord sent with your adapter into the plug labeled “POWER” (“C” on the Adapter Diagram). Plug the other end into an electrical outlet. Wait 2 minutes for the ATA to boot up.
- 5 The “PHONE 1” light on the front panel of your ATA should turn solid green within a few minutes. This indicates you have registered with the network.
- 6 Turn on your computer. Your Internet connection should work as it did before you installed the adapter.
- 7 Listen for a dial tone on your telephone receiver. A dial tone means you have successfully completed the installation and can begin making calls.

Congratulations!

You are now ready to experience the cost savings, enhanced features and flexibility of VoIP services. It's easy to set up and administer your account online. See your welcome letter for details.

Things to know:

- Your telephone number, account number and password can be found on the welcome letter that was sent with your adapter.
- Don't forget you can take your adapter with you when you travel. All you need is a high speed Internet connection.

Customer satisfaction is our top priority. If you have any questions or difficulties with your VoIP service, please visit our Help page or call our customer support hotline listed in your welcome letter.

Spread the good news. Calls to other VoIP customers using our company's service anywhere in the world are always free. So tell your friends about us and talk all you want.

Thank you for choosing our company!

CUSTOMER 911 DIALING NOTICE

Our company provides Basic 911 coverage nationwide and E911 where available. We must know the physical location of your telephone adapter. You will be prompted to provide this information during sign-up. If this address is not accurate or if you move your adapter to another location, even temporarily, you must use your online account management portal or call the customer service number in your welcome letter to update the physical location of your adapter. If this information is not accurately on record, emergency services will not be able to locate you if you are unable to speak your address or are disconnected – even in areas where E911 service is available. 911 service may be disrupted by power outages or outages of your Internet service. We urge you to review the “Emergency Services – 911 Dialing” section in the Terms of Service agreement, located on our website, for more information about 911 dialing.